

Table of Contents

Color coded for your convenience.

ROOFING

Residential TILES 3-9
Residential SLATE
Residential METAL 12-13
Commercial
Ventilation
Underlayments
Ice & Water Shield 20-21
Sheathing
Cements & Coatings 23
Skylights

SIDING

	Vinyl	. 26-27	7
	Insulated Vinyl	28	3
THU.	Fiber Cement	29	9
	Composite	30)
	Stone	. 31-32	2
	Shake	. 33-34	4
	Trim	3!	5
	Underlayments	36	5
	Columns & Post Wraps	37	7
	Accessories	38	3
	Caulks & Sealants	30	9

WINDOWS & DOORS

VINYL Windows	K	41-42
FIBERGLASS Windows		43
WOOD Windows		44-45
METAL Windows		46
Bi-Fold and Sliding Doors		47
Interior and Storm Doors		
Hardware		
Entry Doors		49
Millwork and Trim		















Inside back cover



285 CHANDLER STREET BUFFALO, NY 14207

> (716) 876-5440 FAX: (716) 876-8550

www.Weatherpanel.com

HOURS OF OPERATION:

Building Season

Showroom / Order Desk Monday - Friday 7:00 AM - 4:30 PM **Saturday Mornings**

Winter Season

Showroom / Order Desk Monday - Friday 7:30 AM - 4:00 PM

PAYMENT OPTIONS:

Net 30 terms for approved accounts. Cash, Checks, Debit Cards, MasterCard, VISA and Discover Cards

MEMBER







ROOFING

- Best-in-Business roofing products from the top manufacturers in the country.
 Delivery options to accommodate your needs.

Residential	PAGI	E/S
Certainteed Roofing Collection		4-6 7 8 8
Tamko Heritage Series		9
Vermont Natural Slate Certainteed Symphony DaVinci Polymer Slate EcoStar and Ply Gem simulated slate		10 10 10 11
Metal		
Pac-Clad / All Metal Works / Tamko		12 13
Commercial		
Versico Single Ply Systems		14 15 16 17

Ventilation • Skylights Underlayments • Ice & Water Shields Sheathing and Cements

Ventilation	18
Underlayments	19
Ice and Water membranes	0-21
Sheathing	22
Cements and Coatings	23
Skylights	24



Grand Manor

Grand Manor says it all with a style and grace that is exceptional from every angle. It's multi-layered laminated shingle replicates the look of slate with the confidence backed by a lifetime warranty.



SPECIFICATIONS

- · Two full-size, fiber glass base shingles with randomly applied tabs
- Depth & dimension of natural slate
- Virtual 5-layer coverage
- 425 lbs. per square

10 COLORS AVAILABLE

SHERWOOD FOREST

WARRANTY

- Lifetime limited transferable warranty
- 50-year limited transferable warranty
- 15-year StreakFighter™ warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty

Carriage House Shangle

Carriage House luxury shingle. An ingenious construction that combines two full-sized base shingles, four layers of protection, and an oversized 8" exposure.



SPECIFICATIONS

- Two full-size, one piece base shingles
- Unique chamfered cut for scalloped appearance
- Four-layer coverage when applied
- 355 lbs. per square

8 COLORS AVAILABLE

GEORGIAN BRICK

WARRANTY

- · Lifetime limited transferable warranty
- 15-year algae resistance warranty
- 10-year SureStart™ protection
 15-year 110 mph wind-resistance warranty

Presidential Shake TL

No other roofing has the performance, the durability and the stunning replication of real wood shakes like Presidential. America's finest man-made shake solution.



AGED BARK

WARRANTY:

- Lifetime limited transferable warranty
- 15-year StreakFighter™ warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance

SPECIFICATIONS

- · Three piece laminated fiber glass construction
- Distinctive sculpted, rustic look
- 480 lbs. per square

Presidential Shake

Same great specs as TL available in a 2-piece construction

355 lbs. per square

8 COLORS AVAILABLE

Belmont

When it comes to replicating the authentic appearance of natural slate, Belmont® truly hits the mark. This luxury shingle's layered construction and blended coloration artfully emulate the classic slate roof look.



SPECIFICATIONS

- Fiber glass base shingles with randomly applied tabs
- Depth & dimension of natural slate
- Superior resistance to fire & wind
- 275 lbs. per square

6 COLORS AVAILABLE

STONEGATE GRAY

WARRANTY

- Lifetime limited transferable warranty
- 50-year limited transferable warranty
- 15-year StreakFighter™ warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty

Highland Slate

Each tab individually colored and its four-across tab is the ideal design to deliver color, contrast, and perfection when installed. Wind, rain, snow, ice – this slate-like shingle performs at its best when the weather is at its worst.



SPECIFICATIONS

- Single-layer Fiberglass base shingles
- · Depth & dimension of natural slate
- · Superior resistance to fire & wind
- 240 lbs. per square

6 COLORS AVAILABLE

SMOKEY QUARTZ

WARRANTY

- · Lifetime limited transferable warranty
- 50-year limited transferable warranty
- 15-year StreakFighter™ warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty





GRAY FROST

XT 25 is at the top of its class. Built on a super tough fiber glass base, XT 25 provides excellent durability and performance

- 25 year limited, transferable warranty
- 205 lbs. per square
- 10 colors available





Landmark Series

Our Landmark Series of high-performance shingles offers four levels of weight and thickness. The heavier the shingle, the more depth and dimension it offers. All four offer the exceptional quality of the industry's toughest fire-resistant fiber glass base embedded with our color-rich ceramic granules.

Landmark TL



BURNT SIENNA




COLONIAL SLATE

SPECIFICATIONS

- Three piece, laminated fiber glass based construction
- · Depth & dimension of cedar wood
- 305 lbs. per square

7 COLORS AVAILABLE

Landmark Premium



MAX DEF GEORGETOWN GRAY

SPECIFICATIONS

- Two piece, laminated fiber glass based construction
- · Depth & dimension of cedar wood
- 300 lbs. per square

5 COLORS AVAILABLE

Landmark Pro Architect 80



MAX DEF ATLANTIC BLUE

SPECIFICATIONS

- · Two piece, laminated fiber glass based construction
- · Depth & dimension of cedar wood
- 270 lbs. per square

11 COLORS AVAILABLE

Landmark



PEWTERWOOD

SPECIFICATIONS

- Two piece, laminated fiber glass based construction
- Depth & dimension of cedar wood
- · 229 lbs. per square

13 COLORS AVAILABLE

WARRANTY

- Lifetime limited transferable
- 10-year StreakFighter™
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance



Duration Series

TruDefinition Duration Designer shingles offer spectacular curb appeal and the high performance and durability of our patented SureNail® Technology.

Duration



TERRA COTTA
7 COLORS AVAILABLE

Oakridge

Oakridge® shingles have a warm, inviting look in popular colors for a step up from traditional three-tab shingles.



ESTATE GRAY

12 COLORS AVAILABLE

Berkshire

Berkshire $^{\circ}$ laminated shingles have a large 8-3/8" x 8-1/2" tab and feature unique shadow lines.



SHERWOOD BEIGE 5 COLORS AVAILABLE

Duration Designer



AGED COPPER

15 COLORS AVAILABLE

Supreme

Supreme® 3-tab shingles— for when you need to balance curb appeal, weather resistance and value.



CHATEAU GREEN
9 COLORS AVAILABLE

Devonshire

Devonshire® shingles feature a broad sculpted shape with a 5-5/8" x 7-1/2" tab.



TUDOR
4 COLORS AVAILABLE

WARRANTY

- Lifetime limited lifetime warranty
- 10-year StreakGuard™ warranty
- 130 mph wind-resistance warranty



www.owenscorning.com

Roofing and Asphalt products to serve the new construction and residential repair and remodeling markets with long-lasting, aesthetically attractive shingles.



(716) 876-5440





Pristine



Designer architectural shingles for lasting protection against black streaks caused by algae, install shingles featuring the Atlas Lifetime Algae Resistance Limited Warranty.

130 mph Wind Resistance







DURABILITY, BEAUTY and PEACE of MIND.

15 COLORS AVAILABLE

OYSTER

StormMaster™ SHAKE **StormMaster**™ SLATE



RIVIERA RED 12 COLORS AVAILABLE

Marathon

Marathon Plus AR shingles are time-tested, traditional 3-Tab shingles. Offering excellent reliability and supported by a proven track record, these shingles are at the top of their class in terms of performance and value. Marathon Plus AR shingles feature an algae resistant granule and a limited 25-Year Warranty.



PATRIOT SLATE

15 COLORS AVAILABLE

Cambridge

IKO Cambridge shingles are cut from a different cloth than the three-tab shingles that were probably in vogue when roofs were initially shingled. Their modern, laminated two-piece design provides a lot more depth, dimension and variation to complete the look. Limited Lifetime Warranty.



GREYSTONE

5 COLORS AVAILABLE

Armourshake

IKO Armourshake premium laminate shingles stand above the crowd. Their extrathick, contoured profile, large dragon's teeth and generous exposure evoke the bold look of natural wood shakes in a range of ultra high-definition colors. Limited Lifetime Warranty.

Heritage Series

Express style and showcase beauty with the rustic hues and bold textures with Heritage® Series Laminated Asphalt Shingles. Choose **Heritage Premium** or **Vintage** shingles with a 50-year Limited Warranty and 20-year Full Start Period, or select **Heritage** shingles with a 30-year Limited Warranty and 15-year Full Start Period.



FOSSIL GREY
5 COLORS AVAILABLE

Heritage Vintage

Striking depth. Angular lines.

The naturally deep shadows of Heritage Vintage Laminated Asphalt Shingles portray the look of real wood shakes.

- Random-cut Angular Design
- Fiberglass Mat Construction
- UL Listed for Class A Fire Resistance
- Hip & Ridge Shingles Available
- 50-year Limited Warranty, 20-year Full Start Period




6 COLORS AVAILABLE

Heritage Woodgate

Wider look. Wood-shake appearance.

Heritage Woodgate shingles are designed with a wider look that creates rugged yet refined wood-shake beauty

- Wider 10"-12" coverage
- Random cut sawtooth design
- UL Listed for Class A Fire Resistance
- Hip & Ridge Shingles Available
- 30-year Limited Warranty, 15-year Full Start Period



Heritage & Heritage Premium Vivid color. Dramatic style.

- Rugged Shake-like Appearance
- Shadowtone Blended Shadow Line
- Random-cut Sawtooth Design
- Fiberglass Mat Construction
- Hip & Ridge Shingles Available
- Heritage Premium 50-year Limited Warranty, 20-year Full Start Period

RUSTIC CEDAR

15 COLORS AVAILABLE

All Heritage shingles qualify for Mastercraft Limited Warranty Enhancement at no additional cost to the homeowner when installed by a TAMKO® Pro Certified Contractor.






www.tamko.com

As one of the largest roofing manufacturers in the nation, TAMKO is committed to creating beautiful, innovative products to help homeowners craft their dream roofs.





SLATE ROOFING



Vermont Natural Roofing Slate

in a Myriad of Colors



UNFADING RED



MOTTLED GREY-BLACK



ROYAL PURPLE



UNFADING MOTTLED



CANADIAN BLACK

Slate quarried for roofing stock is of dense, sound rock and exceedingly tough and durable. A Vermont Slate Roof can last a century, giving excellent long-term value, in contrast to other types of manufactured roofing which must be reroofed three or four times within this same period.

UP TO 24" WIDE, 11 COLORS AVAILABLE

Symphony

The look of slate with benefits.




COLONIAL GREY 12" WIDTH




CAPITAL BLEND 12" WIDTH



12" WIDTH



EVERGREEN







COLONIAL GREY CAPITAL BLEND



EVERGREEN 6", 9" & 12" WIDTHS 6", 9" & 12" WIDTHS 6", 9" & 12" WIDTHS



www.davinciroofscapes.com



DaVinci Roofscapes

DaVinci polymer slate and shake tiles look incredibly natural, but are much more durable than Mother Nature's creations. Backed by a lifetime limited warranty



CANYON Multi-Width 12 COLORS AVAILABLE



SLATE BLACK Single Width 9 COLORS AVAILABLE



Bellaforte Slate SONORA-VARIBLEND Low cost alternative

SLATE ROOFING


Majestic Slate

Created with recycled rubber and plastics, Majestic Slate offers a sustainable, lighter and easy-to-install roofing product that provides the appearance of natural slate with lower application costs. Whether it's historic or new construction, Majestic offers the best in residential and commercial applications.



BLACK
11 COLORS AVAILABLE
(Majestic & Majestic Niagara)

Majestic Niagara Slate



Bigger is better when it comes to EcoStar LLC's latest innovation.
Majestic Niagara Slate is a natural-looking, 5/8" thick, synthetic slate roofing tile produced in 12" and/or 14" widths.

(1) 14" tile covers 1 sq. ft. with a 2" head-gap.



BLACK
12 TILE COLORS and
3 ACCENT COLORS
AVAILABLE

Ply Gem's **engineered slate** roofing suits almost any home or business. It offers the beauty and durability of quarried slate but it's easier to install and costs substantially less. It will enhance the appeal and value of your home for decades to come.

FEATURES

- Weather, Fire and Wind resistant
- · Recessed nail flanges
- 10 year no-fade warranty
- 50 year warranty that also covers 2 years of labor

The Living Hinge Hip and Ridge shingles lay flat at any angle





METAL ROOFING



Residential/Commercial Roofs, Walls & Trim

When considering a metal roof, discussions should focus on lifetime value, not up-front cost. The price of a metal roof, which comes with an **estimated lifetime of 50 years** if properly maintained, can be up to three times the installed cost of other materials. In return for the investment, the made-inthe-USA metal roof will last 3 or 4 times longer than a typical residential roof.











Snap-Clad

Tite-Loc Plus Redi-Roof Standing Seam

Snap-On Standing Seam

35 STANDARD and 10 PREMIUM colors to choose from







Snap-On Pac-150 90° Batten Single Lock

Pac-150 180° **Double Lock**

High Snap-On Standing Seam Panel



At All Metal Works we insist on using thicker metal.

We begin with a selection of 29 gauge, 26 gauge, or 24 gauge metal, then add a durable coating of Valspar® XL or Kynar 500® paint. This combination works hand in hand to provide you with outstanding strength and unrivaled durability. This makes All Metal Work's roofing and siding the only thing you want to wrap your investment with.

Products...

All Metal Works manufactures five different roofing / siding panels as well as a wide range of standard and custom trims.

Warranty...

We offer our customers a comprehensive NON PRO-RATED warranty for 40 yrs. With 23 standard colors.

All Metal Works is a locally owned and operated company.



www.tamko.com

MetalWorks® Steel Shingles

MetalWorks steel shingles pair the latest looks with G-90 steel. Whether it's the traditional look of slate, the lustrous look of tile or the dramatic look of wood, MetalWorks shingles offer a beautiful choice for a wide range of residential and commercial applications.

- G-90 Steel Construction
- KYNAR 500°/HYLAR 5000°
- Can be used for Reroofing Applications. Install over up to two layers of asphalt shingles
- 100% Recyclable

- Four-way Locking System
- ENERGY STAR® Qualified
- 50-year Limited Warranty
- 25-year Full Start Period

8 Standard Colors







(716) 876=5440 weatherpanel.com

METAL ROOFING

Founded in 1963, ATAS International, Inc. is a leading manufacturer of **metal roofing, wall cladding, ceilings, perimeter edge metal and accessories**. The ATAS portfolio features an expansive selection of products available in aluminum, steel, zinc, stainless steel and copper.

Standard profiles:

- · Narrow and Wide Ribbed Wall Panels
- Corrugated styles
- · Standing seam and Batten Seam Roof Systems
- Metal Shingles, Shakes & Tiles

Additional options include:

- Curved, Tapered and Perforated Panels
- Concealed or Exposed Fasteners
- Smooth or Embossed Textures
- Horizontal and Vertical styles

and a choice of Over 30 stock colors with PVDF finish.





www.atas.com

Add Prestige and Value to

Agricultural, Commercial, Industrial, Institutional & Residential Buildings

Our more than 20 profiles, our steel roofing shingles and our steel tiles, each designed for specific applications, are available in more than 50 vibrant and durable colors to help personalize your building.



- Aluminum
 Cold Roll
 Hot Roll
 Copper
 Galvalume
 Galvanize
 Galvanneal
 (Satincoat)
 Pre-paint
 Stainless
- EDCO steel roofing panels are built to last a lifetime, backed by a non-prorated limited lifetime warranty which includes an unmatched fade warranty and a class 4 impact rating.

Permanently Fused

Proprietary thermal fuse process permanently affixes particles to the

panel providing consistent appearance, uniform texture and protection from the elements.

Consistent Beauty

 Panels maintain their original natural look for a lifetime.
 Backed with a fade warranty your roof will maintain its appearance for years to come.










Single Ply Roofing Systems



Non-Reinforced Black EPDM

Available in widths up to 50' and lengths up to 200' making it ideal for use in fully adhered and ballasted assemblies.

Reinforced EPDM

Manufactured with a strong polyester reinforcement completely encapsulated between two plies of EPDM and offer superior fatigue and puncture resistance.

VersiGard White EPDM

A non-reinforced EPDM membrane that is environmentally friendly and aesthetically pleasing. And can contribute toward LEED credit requirements, is ENERGY STAR® qualified, and is CRRC certified.


QAT Seam Technology

One of the most critical portions of a VersiGard EPDM installation can be made faster and easier with Quick-Applied Tape (QAT) Seam Technology, which factory applies the QA Seam Tape to the membrane, greatly reducing the time required for completing seams and minimizing your labor costs.



VersiWeld TPO membranes reduce the amount of energy required to maintain cool building environments. They also offer extreme weatherability and long-term performance.

VersiWeld QA (Quick-Applied)
TPO combines the energy
efficiency and durable
characteristics that VersiWeld TPO
provides with the ease of
installation associated with a preapplied adhesive.





VersiFlex PVC is specifically designed for long-term performance and is highly resistant to fire and chemicals including acids, bases, restaurant oils and grease.

VersiFlex FRS PVC utilizes a fiberglassreinforced scrim. This dimensionally stable scrim is fully encapsulated and is designed for fully adhered applications in all areas, especially those with extreme temperature fluctuations.

VERSIFLEECE

VERSIFLEECE™ TPO, PVC & FRS

Ideal for re-roofing or new construction. Reinforced laminated TPO available in 100 & 150 total thickness.



Premium-Quality Commercial Roofing for Commercial and Industrial Applications

Johns Manville's specialty products support a broad offering of membrane systems that include built-up, **SBS** and **APP** modified bitumen and single ply **EPDM**, **PVC** and **TPO** membranes. This makes JM a single-source roofing systems provider for contractors, building owners and specifiers.



TPO Roofing Membrane

45 mil, 60 mil, 80 mil thermoplastic polyolefin membrane.

TPO FB Fleece Backed Roofing Membrane

60 mil and 80 mil fleece-backed thermoplastic polyolefin membrane.

TPO FB Heavy-Fleece Backed Membrane

Heavy-Fleece Backed Membrane for Hot Asphalt Application

EPDM NR

45, 60 & 90 mil cured, nonreinforced ethylene propylene diene monomer sheets.

EPDM R

Cured ethylene propylene diene monomer reinforced with a tough 1,000+ denier polyester mat.

EPDM

Membrane with factory in-seam tape for NR 45 mil, 60 mil & NR 90 mil

PVC with DuPont™ Elvaloy KEE POLYMER

Thermoplastic polyvinyl chloride membrane.

PVC MIL/MIN WITH DUPONT™ ELVALOY KEE POLYMER

Advanced Solid Phase Polymer Formulation

PVC SD Plus

Standard (Non Elvaloy KEE) Polyester-Reinforced Thermoplastic Polyvinyl Chloride Membrane



APPeX® Modified Bitumen


Long-Term Performance with Heat-Welded Convenience



SEVERAL COLORS AVAILABLE

And all the necessary extras...







Insulation and Cover Boards



Cements, Adhesives, Primers and Coatings



Vented Nail Boards and more






FLINTLASTIC® SA

CertainTeed Flintlastic® SA roofing membrane is a premium, self-adhering SBS modified bitumen roofing material suitable for most low-slope roof system applications. Flintlastic SA Cap is

available in 8 colors, plus white and CoolStar highly reflective granules.

- No kettle, fumes, or burn risk
- · No torch or risk of fire
- Reduced training requirement
- No building occupant disturbance
- No mess or side lap bleed out
- Reduced insurance requirement





MOJAVE TAN





vww.hydro-stop.com

HydroStop® PremiumCoat® Foundation Coat is a

water-based acrylic base coat, a roofing and waterproofing solution for coating, recover, reroof and new roof applications. It provides a fully-adhered, adhesively attached, breathable acrylic membrane and a complete roof cover.

Application Usage: Metal (historic or commercial) roof waterproofing Flat and lowpitched roof waterproofing, including BUR, concrete (structural or LW), EPDM, Hypalon, modified bitumen, PVC, and TPO Parapet wall & Exterior wall waterproofing Flashing of all types







SureBond Primer HYDRO











www.pac-dlad.com

A complete line of metal products including column covers, corrugated panels, metal composite panels, metal plate panels and custom heavy-gauge fabrication, Petersen is dedicated to making projects run smoothly and cost-effectively.

PAC 500 BRONZE & 300 CLEAR ANODIZED ALUMINUM

ALUMINUM COIL & FLAT SHEET

Huge selection of colors and finishes. Coil & Flat sheets in a variety of gauges cut to exact specifications.





www.dhemllink.com



DuraLink™ Super Adhesive Sealant

E-Curbs & ChemCurbs

E-Curb penetration seals replace old-style metal pitch pans with versatile, precast components and pourable sealants. Chem Link's E-Curb System can usually be installed in under 15 minutes and never requires flashing or mechanical attachment.

The **ChemCurb** System replaces the old style metal pitch pans with versatile precast curb components, pourable sealant and structural adhesive/sealant.





www.sun=tek.com

- 6", 9" or 12" Curb Height
- Optional Mill, Bronze or White Finish
- Single or Double Domes
- · Pyramid Domes Available
- Optional White, Clear or Bronze Domes
- Insulated or Non-Insulated
- 5 Year Limited Warranty

CCM Commercial Curb Mount

The CCM, polycarbonate, commercial curb mount is a nonthermally broken unit that installs over your own curb.

CCMT Commercial Curb Mount

The CCMT, is a thermally broken unit. We engineered our dome to wrap all the way down the curb portion of the unit for added water diversion

CM - Curb Mount **VCMP - Vented Curb Mount CMA - Curb Mount Aluminum**



Completely Assembled Leakproof



WWW.bfleo.com

Roof Hatches

Single & Double Leaf in many styles and sizes. Ladder - Ship Stair - Service Stair roof access styles





www.royaladhestves.com

One-Step™ Adhesives

Pressure sensitive adhesives, tapes and sealants for commercial applications.

Millennium Hurricane Force® Membrane **Adhesive**



Always in stock for pick up or delivery







Copper Sheets & Rolls Lead Sheets & Rolls



Solder

ROOFING VENTILATION

OmniRidge® The Shingle-Over Ridge Vent



- · Unique perpendicular baffles enhance air flow
- · Louvers positioned closer to air stream to allow for better air flow
- · Aerodynamically curved internal baffles are positioned to enhance the airflow from the attic space.



www.lomanco.com

Lo-OmniRoll® LOR-30



- Compact 30' roll is easy to handle
- Pneumatic nail gun or hammer installation
- Exterior convoluted baffles incurved
- Two coils of 13/4" nails provided
- · Can be cut into one foot intervals


Whirlybird @ Galvanized Turbines



All aluminum construction, permanently lubricated upper & lower ball bearings

Adjustable to roof pitch up to 12/12.

750 Static Roof Vents Designed to prevent



roof discolorization. Louvered on 3 sides for greater air flow. Embossed finishes add strength and extend paint life.

- 750-E is a 750 with an extended flange size
- 750-S is a 750 with screen attached
- 750-G heavy duty galvanized steel
- 750-GS is a 750-G with screen

Omni Solar Powered Attic Vent















AIR VENTINC

www.allryen&gom

The **Edge™ Vent** provides proper intake ventilation for homes with little or no overhang.

- Internal baffles and filter provide weather protection
- Constructed of same material as industry-trusted ShingleVentII ridge vents

SHINGLEVENT II and FILTERVENT feature an external baffle for enhanced airflow and an internal weather filter for more complete protection against weather, insects and debris. Both provide 18 sq. inches of net free area per linear foot.

- Built-in end plug
- · Durable, molded highimpact co-polymers keeps flexible at below-zero temperatures
- Colorfast pigments
- Lifetime limited warranty

Intake Vents



Continuous intake airflow at the roof's edge. Can be used to supplement existing soffit or under-eave vents.

Ridge Vents



Designed with external baffles to protect attic from rain & snow. Internal filter helps keep out weather, dust & insects.

CertainTeed H

www.certalinteed.com



Static Vents

Available in Aluminum, Galvanized and Plastic

Weatherpa EST. 1948

(716) 876-5440

ROOFING UNDERLAYMENTS

CertainTeed H

www.certainteed.com





DiamendDeck*

Synthetic, scrimreinforced, waterresistant underlayment that can be used beneath shingle, shake, metal or slate roofing.

Roofers' Select

Made to order for the true professional

As a final layer of protection, this high-performance underlayment covers the entire roof after the WinterGuard™ application. It's reinforced with fiber glass to provide extra resistance to wrinkling.



Available in four-square rolls (36" wide x 144' long)
Reduces the likelihood of slipping for increased safety
Lays flat and is extremely resistant to wrinkling





Patented slip resistant nodular walking surface

For use under all Metal, Tile, Slate, Shake & Shingle Roofing

- 6 times lighter & 20 times stronger than #30 felt
- Contributes to LEED® points, 100% Recyclable
- All temperature performance -40°F to 240°F
- Synthetic construction inert to mold growth
 - Cool gray surface, doesn't expand or contract






Ask your sales rep or visit the Interwrap website for details

www.adlasroofing.com

Gorilla Guard® EVERFELT™

A high performance underlayment for steep slope roof applications. High performance features that out-performs typical organic felt by adding glass fibers. **Save time – and labor costs**.



- 28% stronger substrate reduces need for more re-work before applying roof shingles
- Four-square roll means less handling time
- Superior water-shedding characteristics
- · Lays flatter than traditional organic felt underlayment
- Atlas Signature Select® Roofing System Eligible



Performance Products and Service



(716) 876-5440

IGE & WATER SHIELDS

Composite roof underlayment designed to provide a secondary waterproofing barrier

A proprietary fiberglass mat reinforced, SBS-modified asphalt. The self-adhesive underlayment creates a watertight barrier by sealing to the roof deck and around nails and provides excellent traction and protection from UV degradation and weathering thanks to its granular surface.





WeatherMaster® Pro-Grade Ice & Water

- Self-adhering and cold applied
- Soft-surfaced polyester face
- · Increased traction
- 50-mil thickness
- No special adhesives necessary
- Direct-to-deck metal application
- High-temperature stability -260°F
- UV protected surface 90day exposure



www.atlasroofing.com

WeatherMaster® Ice & Water Roof 200 & 216

- UV Protected Surface 45 Day Exposure
- High Temperature Stability 240°F
- Self-Adhesive Backing Seals Directly to The Deck
- 55 Mil Thick, 38% Above Industry Requirement
- Dual Modified Asphalt Provides Superior Granular Adhesion
- Increased Granule Adhesion for Better Traction



WeatherLock® Flex

Protection against water infiltration from the freeze/thaw cycle, wind-driven rains and normal water flow around eaves, rakes, valleys, vents, chimneys and skylights. Adheres around irregular shapes, inside corners and at sharp angles, even in cold-weather applications to 40°F.





WeatherLock® G

Granulated Self-Sealing Ice & Water BarrierSEAL

Helps prevent damage caused by water migration. Engineered for asphalt shingles, wood shakes and quarry slate roofs.

One Roll: 33.3 ft. • Width 3 ft. • Gross Coverage 100 sq. ft.



Polystick IR-Xe

Rubberized asphalt, fiberglass reinforced compound seals around nails. Split release backing film aids in easy positioning of sheets to maintain a proper line.



WWW.pollyglass.com

- Ideal for full-surface underlayment protection
- Designed for flashing details
- Exceptional ice & wind driven rain protection
- Fiberglass reinforced
- Sand and black mineral surface for skid resistance

Polystick MU-X

Suitable for use with roof coverings and environments where a "high temperature underlayment" is desired. The film surface is slip-resistance and is reinforced with fiberglass for exceptional strength and thermal stability



(716) 876-5440

IGE & WATER SHIELDS

CertainTeed H

www.certalnteed.com



WinterGuard HT® (High Tack, High Temperature) is an advanced waterproofing underlayment for shingle, metal, slate and tile roofs. It is specially formulated to resist high roof temperatures under metal roofs.



Win the battle against water penetration in a roof's most vulnerable places. WinterGuard is a composite material of asphalt polymers, formed into a rolled sheet. The asphalt makes it vaportight, and the polymers make the

Weight: 54 lbs. per roll

asphalt elastic and sticky. This protective barrier is able to stretch and seal around nails driven through it.







Dimensions: 36" x 65' (200 sq. ft.) Coverage: Two Square Thickness: 45 mils

GRACE

www.na.graceconstruction.com

A Better Alternative to Granulars.

GRACE Ice & Water Shield

For architects and roofing contractors, roofs are a source of everlasting concern. Seventy percent of all construction litigation is related to leaks, and every leak is a lost opportunity. Underlayments are the last line of defense in a roofing system.

Grace Ice & Water Shield® has protected the roofs of over 2 million homes, and been installed on marquee projects in 25 countries, since its introduction in 1978. This high performance solution provides superior performance at an excellent value.



Grace Ice & Water Shield® HT

Meets the challenges inherent in metal roofs

A high temperature self-adhered roofing underlayment designed to deliver premium in-place performance for high temperature applications. It features an innovative and proprietary rubberized asphalt adhesive combined with a high performance polymeric film with UV barrier properties. The rubberized asphalt surface is backed with a fold-less release paper that protects its adhesive quality. During application, the release paper is easily removed, allowing the rubberized asphalt to bond tightly to the roof deck. The Ripcord® embedded in the adhesive provides the applicator a "split release on demand" feature, making it easier to apply in detail areas.





SHEATHING PRODUCTS

COMMERCIAL ROOFING

Insulation and Cover Boards

Installing Johns Manville insulation and a JM cover board under your roofing membrane is the easiest way to increase the energy savings and protection for a roof. We have you covered with our wide selection of cover boards and insulation products manufactured and distributed in facilities located throughout North America.



NailBoard® **Polyisocyanurate Nailable Roof Insulation**



Johns Manville Nailboard® is a rigid roof insulation board composed of a closed cell polyisocyanurate foam core bonded in the foaming process to either 7/16" (11 mm) or 5/8" (16 mm) oriented strand board (OSB) on one side and a universal fiber glass reinforced facer on the other.

Vented NailBoard® **Polyisocyanurate Nailable Roof Insulation**



Vented NailBoard® is a rigid roof insulation board composed of a closed cell polyisocyanurate foam core attached with spacers to 7/16" (11 mm) or 5/8" (16 mm) oriented strand board (OSB) on one side and a universal fiber glass reinforced facer on the other.



Nail-Lok™ WD

Nailboard (Regular and Vented) Fastener. The extra-large star/spider head increases pull-through resistance and eliminates the need for plates or washers.





ZIP SYSTEM® R SHEATHING & TAPE

- Energy Efficient Air Barrier
- Moisture Protection
- Structural Performance

Fewer steps result in 40% faster installation when compared to traditional housewrap and tape.



www.hubarwood.com

Install the panels... Tape the seams... Done!



GREEN PANEL: 7/16" RED PANEL: 1/2" and 5/8" All thicknesses can be used for walls and roof applications

New all-in-one insulated exterior sheathing panels eliminate numerous passes around the building that were once required to install multiple products, to meet thermal-management codes, while also accounting for controlling air leakage, water intrusion and providing structural integrity.


The Basics

In stock lumber always on hand, ready for pickup or delivery.

Plywood 1/2" x 4' x 8' Sheets 3/4" x 4' x 8'

Fire Retardant Treated





CEMENTS & COATINGS

HYDROSTOP

www.laydrostop.com

Roof and Wall Waterproofing Systems

Sustainable roof and wall waterproofing solutions that won't come out of warranty until you tear the building down.

ClearGuard Plus

Water repellent formulation for a durable subsurface, clear protective barrier. Protects all types of **masonry**, **brick**, **unglazed tile**, **grout**, **terra cotta**, **and stone**. Provides stain resistance and makes surfaces easier to clean.

FlexCoat

As **masonry and stucco surfaces** are primary points of entry for water, FlexCoat is carefully formulated to remain flexible and allow for movement while providing a high-quality water seal.

BarrierGuard®

Designed for waterproofing all types of masonry surfaces such as foundation walls, concrete panels, retaining walls and moisture-retaining structures such as gutters, cisterns and concrete shrubbery boxes.





www.kamakcomp.com



#66AF Modified Bitumen Adhesive



Roof Coatings & Adhesives
Damp-Proofing • Waterproofing • Caulks
Fabrics & Repair Tapes

Karnak #19AF Flashing Cement is a general purpose cement for repairing leaks in shingles, concrete, metal or asphalt roofs, flashings on walls, chimneys, flues, downspouts and cornices. It is excellent for sealing cracks in concrete and brick, as a joint filler for precast roof slabs and more. Available in Summer & Winter consistencies.
Karnak #19 Ultra is available in 3 consistencies: Summer, Semi and Winter.

#19 Ultra Flashing Cement



#298 Alumin-R
Aluminum
Coating #19AF
Flashing Cement



ETERNABOND

www.eternabond.com

EternaCaulk

multipurpose, thermoplastic elastomer based sealant

MicroSealants...

Unlike most traditional caulking mastics, tapes & sealants, MicroSealants are environmentally stable, contain no solvents or VOCs are safe to use (virtually food service grade) and will not compromise air quality within the building envelope.



CopperFlash



EternaPrime[®]





WWW.Veluxusa.com

The World Leader in Roof Windows and Skylights.




The Solar Powered "Fresh Air" Skylight

features a solar panel that captures any available daylight and uses it to recharge a highly efficient, fully concealed battery powered operator and control system. A rain sensor is built in to close the unit in the event that inclement weather arises while you're away.

Solar Powered Light Filtering Skylight Blinds

No longer is direct sunlight an issue with the light filtering solar skylight blind. Soft, diffused light is all that will enter your room. Also available in Venetian & Blackout styles.

COMMERCIAL APPLICATIONS



Built using a 1-piece welded aluminum & insulated curb that provides a sturdy leak-proof design. It is installed directly to the roof deck for the quickest installation available.





Custom curb mounted commercial skylights (CM) Maintenance free curb mounted skylights (CMA) Fixed curb mounted skylights (FCM) Commercial SUN TUNNEL™ skylight (TCR)



VELUX SUN TUNNEL™ SKYLIGHT - the most innovative skylight in the industry. The new product design delivers brighter natural light and the easiest installation available. 7 models available for residential and commercial applications.





www.sun=tek.com

Featuring our most popular style, the FGC. Perfect for composition or asphalt applications, it sports a sleek style with an extra-low profile



Completely Assembled & Designed to be Leakproof

- Incredibly Fast Installation Patented Water Completely Assembled
- Dispersion Channels Leakproof - no calls backs
 No step flashing required

After a rough opening is prepared, a roofer can install a Sun-Tek Skylight

- start to finish - in 15 minutes.

COMMERCIAL **Polycarbonate Skylights**



Curb Mount, Thermally Broken Curb Mount, Self Flashing & Self Flashing, Thermally Broken, with **Insulated Glass models** available.



www.wascoskyllghts.com

From our advanced E-Class & quality curb-mount skylights, to our solar powered and Architectural Series there's a Wasco skylight to suit every budget, every design, every lifestyle.



E-Class



(716) 876-5440

SIDING

- Best-in-Business Siding Products from the top manufacturers in the country.
 Delivery options to accommodate your needs.

Vinyl PA	GE/S	Trim PAG	GE/S
Certainteed Siding Collection: Vinyl	26-27 27	Versatex Trim Boards Boral TruExterior ash trim James Hardie Trim Boards Fypon Trim	35 35 35 35
Exterior Portfolio CraneBoard	28 28	Underlayments	
Fiber Cement James Hardie Fry Reglet and Allura Fiber Cement Panels	29 29	Tyvek HomeWrap and CommercialWrap Kingspan Greenguard insulation board DOW Foam Insulation	36 36 36
Composite		Columns & Post	
LP SmartSide . Celect Cellular . Boral Craftsman Collection . Stone	30 30 30	Wraps AFCO Aluminum and Fiberglass HB & G Permacast Certainteed Porch Posts & Columns Versatex VeraWrap post wraps	37 37 37 37
Boral Versetta Stone Certainteed Stone Facade ClipStone TandoStone Shake	31 31 32 32	Accessories Royal Exteriors Shutters, Mounts and Vents	38 38
Exterior Portfolio Portsmouth Shake	33 33 34 34	Caulks & Sealants Chemlink OSI Geocel	39 39 39

VINYL SIDING



Monogram™ 46

The Natural Look of Painted or Stained Cedar

Whether it is a Victorian reproduction, a New England saltbox or a modern beach house get-away, we offer the rich look of natural cedar without the expense and heavy maintenance. You can create a home to be proud of with Monogram's designer palette of over 40 siding and trim colors.

Three Classic Styles:

Double 4" Clapboard Double 5" Clapboard Double 5" Dutchlap

Widest color section in the industry:

33 low-gloss solid colors 8 low-gloss wood-tone blends 40 coordinating trim colors

Self-Aligning, Post-Formed Positive-Lock System



Features:

- Heavy-Duty .046" thickness
- Patented STUDfinder™ is designed for accurate and secure installation
- RigidForm™ 220 Technology tested to withstand wind loads up to 220 mph
- CertiLock™ self-aligning, post-formed positive lock
- 3/4" panel projection
- · Lifetime limited warranty

Monogram 46L & 46 XL

Same Great Features as Monogram 46 with Longer Lengths which *dramatically reduces seams*.

On a wall that is 25' wide, there are approximately **57 laps** with a 12' panel

- with our 16' panel, 40 laps
- with our 20' length, 26 laps
- with our 25' length, O Laps!

Traditional length = 12 feet

Two Classic Styles - Three Length Choices:

- Double 4" Rough Cedar Clapboard, 16'8" or 20' or 25'
- Double 5" Rough Cedar Dutchlap, 16'8" or 20' or 25'

Monogram XL16 = 16 feet

Monogram XL20 = 20 feet

Monogram XL25 = 25 feet

ENCORE Great looks & affordable

If you're looking for vinyl siding that combines great looks and affordability, look no further than $Encore^{TM}$. This high quality panel is attractive, easy to maintain and surprisingly economical.

- Natural woodgrain look
- · Wind resistant rolled over nail hem
- · 1/2" panel projection
- .040" thickness
- Lifetime limited warranty

Four Popular Styles:

Triple 3" Woodgrain Clapboard Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard Double 4-1/2" Woodgrain Dutchlap

VINYL SIDING

MainStreet



Featuring 7 Product Styles

Triple 3" Brushed Clapboard Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard Double 4" Woodgrain Dutchlap Double 5" Woodgrain Dutchlap Single 8" Woodgrain Clapboard Single 6-1/2" Brushed Beaded

9/16" panel projection .042" thickness Limited Lifetime Warranty



MainStreet™ offers consistent quality, good looks and is the ideal choice for homeowners and building professionals looking for value with the benefits of a premium panel.

24 Low-Gloss Colors

AUTUMN YELLOW



Market Square

Beautiful Textured Cedar Grain plus the features Contractors Require for a Quality Project



Available in Double 4", Double 4.5" Dutchlap and Double 5" profiles, Market Square will give a home a strikingly attractive, yet affordable, natural, lasting look.

> Available in 22 colors including many, very affordable darks



Performance Features

- · Beautiful textured grain of forest-grown cedar
- Special rolled-over nailing hem provides 135 mph wind load performance
- Integri-Lock® locking system snaps panels securely together
- Extra wide 5/8" profile edge with square bottom edge maximizes rigidity
- .044" thickness
- Lifetime Limited Warranty

Premium Pointe 360®



Board & Batten 5.5" Double 4" & Double Dutchlap 4.5"

.046 Thickness Available in 25 colors

Carolina Sands®

Elm Grove

Features

- 6 1/2" Beaded
- 5/8" projection12' 4" length
- .044" thickness

Available in 14 colors

Parkview™



Features

- 1/2" projection
- · Cedar Grain finish
- .042" thickness

Available in 14 colors

Features

- 1/2" projection
- · Raised Grain finish
- .040" thickness

Available in 13 colors









PERFORMANCE FEATURES

- No painting. No scraping. Virtually no maintenance
- The only insulated siding that has graphite enhanced EPS insulation made with Neopor, which provides up to 19% higher R-value than traditional insulation
- Built with TXL™ Lamination Technology for superior bonding
- Insulates better than wood, brick and fiber cement
- Reduces noise by up to 45%
- Highly resistant to impact
- · Wind resistant up to 160 mph

Life of the Home Limited Warranty

CraneBoard 6" CraneBoard 7" Clapboard CraneBoard Board & Batten CraneBoard 4" Clapboard CraneBoard 4.5" Dutchlap

CedarBoards™



CedarBoards™ Insulated Siding with TrueComfort™ technology provides the thermal benefit against heat & cold and the added strength of rigid foam insulation with the easy maintenance of vinyl.

Molded from selected cedar boards, designed in a classic wideboard style, and strengthened with a custom-contoured foam backing

24 Low-Gloss Colors including 6 deluxe hues!

Single 7" Clapboard • Double 6" Clapboard • Double 4-1/2" Dutchlap and Double 4" Clapboard • Single 12" Board & Batten

CedarBoards Board & Batten

- Wide 10" board with a 2" batten creates an extra wide 12" panel
- Ideal for whole house or accent applications.
- Flat face board design for a straight, even surface.
- 5/8" custom contoured foam provides strength, rigidity and increased R-value.



12 Low Gloss Colors

FIBER CEMENT SIDING

HardieShingle® Siding

Shingle **Siding Panels** come in a variety of decorative edges and expedite installation when used in larger areas.

Individual Shingles come in a

Individual Shingles come in a selection of widths for an authentic handcrafted look and are also ideal for smaller coverage areas.

Staggered



1/4" thick Staggered 48" x 15.25" Panels

Straight Edge



Straight 48" x 15 1/4" Panels

Half Round



48" x 15 1/4" 1/4" thick 7" exposure Half-Round



15 1/4" Individuals 5 widths Available

HardiePanel® Vertical Siding



Traditional board-and-batten look. Available in Select CedarMill, Smooth, Vertical and Stucco

JamesHardle www.jameshardle.com

HardiePlank® Lap Siding



HardiePlank® lap siding is not just our best-selling product—it's

the most popular brand of siding in America. All styles are Engineered for Climate® and come primed or with baked-on ColorPlus® Technology.

Available in
Select Cedarmill, Smooth, Beaded Cedarmill & Beaded Smooth

FRY REGLET

ARCHITECTURAL METALS

www.fryreglet.com

Fiber Cement Panels, Channels & Trims






www.allurausa.com

ADVANCED FIBER CEMENT PRODUCTS

Exterior Siding, Architectural Panels



COMPOSITE SIDING





Cedar Texture Stucco Texture Smooth Reverse Board & Batten

SmartSide® Trim & Siding

A complete line of high-performance trim & siding products to complement almost any building style. All LP SmartSide products feature an innovative, four component SmartGuard® manufacturing process for strength and to resist fungal decay & termites.

For Homes,
Outdoor Building Structures &
Light Commercial Projects

SmartSide® Panel Siding SmartSide® Lap Siding

CELECT

celect.royalbuildingproducts.com

R EXTERIORS BY ROYAL



Our patented interlocking joints eliminate gaps, buckling, wavy lines, caulked seams and energy loss.

100% Recyclable Siding, Trim, Mouldings, Shutters and Accessories

made Entirely from Cellular Materials



Gravity lock design eliminates warping, buckling and shifting while boosting wind resistance to more than 130 mph.

- 7" Clapboard and 4" Clapboard
- Board & Batten
- 7" Shake



www.boralamerica.com





Boral TruExterior® Siding Craftsman Collection™ An entirely new category

An entirely new category of siding products.

Our exclusive **poly-ash** structure has been developed with a proprietary polymer chemistry and coal-combustion products (ash) that adds a level of inert properties with **virtually no moisture cycling, making it ideal for exterior applications**.

- · SHIPLAP · COVE/DUTCH LAP
- CHANNEL
 CHANNEL
 BEVEL
- · V-RUSTIC · BEVEL
- NICKEL GAP
- 16' lengths
- Made in the USA
- 20-year limited warranty

STONE VENEER SIDING

Versetta Stone

CAST STONE




New color - Sand (shown in Ledgestone)



- NO Support Footings Needed
- NO Mesh Needed
- · NO Scratch Coat Needed
- · NO Mortar Needed





What is Boral Versetta Stone®?

Boral Versetta Stone® is a mortarless, cement-based manufactured stone veneer with a unique, panelized design that is installed with mechanical fasteners.

- · Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in 1/4" rain screen
- Pre-drilled weep holes allow water to escape
- No seasonal restrictions on installation
- Each panel covers 2 ft²
- 50-year transferable Limited Warranty

6 Color in each style

The beauty of traditional stone masonry without the Excess Labor costs & installation time

STONEfaçade



STAINLESS STEEL RAIN SCREEN

protects walls from moisture build-up

Continuous fastening flange. Simply screw it in place.

Beveled perimeter.

Uninterrupted appearance.

Mortar-less install. No mess.

No mortar, complicated training or mason skills are required.

Fully-integrated rain screen.

3/8" stainless insert embedded for top-to-bottom drainage.

Unique

Every panel is unique. Cover 110 sf. without repeating pattern.

Easy does it.

Three pre-mixed panel widths.



STONE VENEER SIDING









Poinset LedgeStone

Tan ProStack

- · Stacks into place, one after the other
- · Reversible corners for easy installs
- · Cuts easily both ways

Embedded Mounting Clips

- Drip Ledge Sills for Windows or Wainscot Cap
- Drip Ledge Sill /Wainscot Corners
- Electric Outlet Box
- Light Box
- Universal 4" tall Corners
- Universal Trim
- Hearth Stones
- Mantel and Corbels

An all-star product portfolio.

Tando takes the very best of two great brands

Novik and Exteria

and brings them together to better meet the evolving needs of the professional installer, remodeler and home builder.







Introducing

TandoStone

In the beginning, there was stone, then came stone veneer then came TandoStone a lighter and more workable alternative.

Proprietary technology and processes that deliver a look and feel that is "as real as it gets." Provides pro-installers with a platform to deliver creative exteriors using conventional tools.

Unparalleled durability that enhances longevity and brilliance. Quick and easy one-person installation. Eco-friendly.

SHAKE SIDING



Portsmouth Shake[®]

Add dimension, tie gables and other elements into your overall design or provide a dramatic contrast to stone or clapboard.

Hand-Split Shake, Cedar Shingle, Staggered Edge Shingles, Half Rounds, 8' Long-Length Cedar Shingle and Perfection Shake are the accents that can add impact to give a home an intriguing look, or unify it with a sense of simplicity.

DOUBLE 7" Cedar Shingle

- 3/4" Exposure
- 53 3/4" Length
- 14" Height

SINGLE 7" **Cedar Shingle**

- 3/4" Exposure
- 8' Length
- 7" Height

Hand-Split Shake

- 1" Exposure
- 4' Length
- 18" Height

T45 Perfection Shingle

- 3/4" Exposure
- 74" Length
- 15" Height



8' SINGLE 7" Cedar Shingle

Staggered Edge Shingle

- 3/4" Exposure
- 4' Length
- 7" Height

Half Round Shingle

- 3/4" Exposure
- 77" Length
- 10" Height



Superior aesthetics with long-term durability.

Crafted from 72 molds cast from genuine cedar our siding has the look and feel of the real thing. With many color options and 9 unique siding profiles, Foundry makes it easy to create one-of-a-kind styles for residential or multi-family homes.

31 Standard Colors



Split-

Available exposure.



Deep texture combined with clean

Perfection-

Available in 7" exposure

lines.



Imperfect butt-ends and keyways

-Staggered-

Available in traditional exposure or exposure.

Shingle, Round & Fish Scale also available.



exterior

PORTFOLIO

www.exteriorportfolio.com

SHAKE SIDING



Cedar Impressions





ROUGH-SPLIT SHAKES



DOUBLE 7" STAGGERED **PERFECTION**



DOUBLE 9" STAGGERED **ROUGH-SPLIT SHAKES**

- Durable Thick Polymer Panels
- More pliable material Adds flexibility
- Deep Panel Projection
- Random Shingle Widths and Lengths
- Grain Texture on Butt & Shingle Gaps
- Tapered Gaps

TandoShake[™]

Easier to install and more workable than other options.

TandoShake puts the power of choice and creativity back into the hands of the professional installer.

- Architectural style
- · Deep, Natural Texture
- Wood stain
- · Proprietary technology for unparalleled durability.



RoughSawn Cedar Single

90.1"w X 8.5"h 6.5" 12 1/2 28 14

RoughSawn Cedar Dual

59.25"w X 15"h 6.5" 10 1/2 14 7

RoughSawn Cedar Staggered

59.25"w X 15.25"h 6.5"- 7" 10 ½ 14 7

Rustic Cedar 9

72.875"w X 11.5"h 9" - 9.5" 11 ½ 18 9

Hand Split Shake

41.375"w X 18.75"h 8.5" - 9.25" 10 1/2 20 10

PVG & GOMPOSITE TRIM

VERSATEX®

WWW.Versatex.com









We Have it ALL

- SOFFITS
- FRIEZE BOARD
- FASCIA
- CORNERS
- SKIRT BOARD
- WINDOW & DOOR SURROUND




Versatex gives you a full 5/4" board with a true 3/4" x 3/4" pocket to neatly accept fiber cement and other lap siding products.

VERSATEX 1-PIECE CORNER

- 1 1/2" material available in nominal 48" wide sheet.
- Can be used in direct contact with masonry
- · Can be used in direct contact with moisture
- · Does not require painting
- Resists insects, rot & weather





Suitable for ground contact, which makes it ideal for exterior trim applications such as fascia, door trim, soffits, rake boards and a variety of other exterior applications. Because of its high level of dimensional stability, there is no need to prime ends or field cuts.



TruExterior® POLY-ASH TRIM

The first & only

Poly-ash trim product, consisting of a blend of proprietary polymers & coal combustion products.



www.fameshardie.com



HardieTrim® Boards

Several profiles, finishes & sizes available for any job including Rustic & Smooth Batten Boards, Crown Moulding, Vented & Non-Vented Soffits, Skirt Boards and more.



Synthetic Solutions For Millwork & Trim



Fypon has the right stuff for virtually every millwork and trim project imaginable - from peak to plinth, offering award-winning **Polyurethane Millwork**

- Window and Door Trim
- Decorative Millwork
- Decorative & Functional Louvers
- Ceiling Medallions & Domes
- Spires and Finials
- Gable Pediments
- Balustrades & Columns
- Brackets, Corbels & Dentil Blocks



SIDING UNDERLAYMENT



Whether it's a skyscraper or a single-family home, the building envelope is an essential line of defense against air, water and wasted energy.



HomeWrap®

The world's leading house-wrap has the optimum combination of properties to deliver the best balance of weather protection, moisture management and durability behind residential facades.



CommercialWrap®

3 vital areas as part of a building envelope system:

- Controlling air leakage
- Preventing water infiltration
- Allowing water vapor to escape

Seal Around Windows and Doors With DuPont™ **Flashing Tape**

Engineered to withstand the rigors of the job site, including UV exposure, for up to 120 days. In addition to bulk water holdout, DuPont™ Flashing Tape helps control air leakage, where windows and doors interface with sheathing or the weather barrier.







www.dupon&com

Ideal for exterior insulation over wood sheathing and residing.



Type IV XPS Insulation Board

Extruded polystyrene (XPS) construction, board will not absorb water, is not a food source for mold and is not subject to moisture-related damage and deterioration. An **R-Value of 5.0 per inch** of thickness makes it an excellent thermal insulator that increases the energy efficiency of your structures.

Choose between a square edge (CM) and an interlocking shiplap edge (SL) that helps reduce energy-robbing air leaks at seams and gaps.



www.goadams.com

POLYCORE 5000 Extruded Polystyrene Foam

When the insulation value of a thicker product is not required, POLYCORE 5000 insulation is an excellent choice for use with *Vinyl*, *Steel* or *Aluminum Siding*.



Economy Fanfold

In-Stock
Selection of
Economical
Fan-folded
Underlayments
for your
Budget Projects





-(7216)-876-5440

weatherpanel.com



FOR BUYING LOCAL

GOLUMNS & POST WRAPS

AFCO INDUSTRIES, INC.

www.afeo-Ind.com



ALUMINUM COLUMNS

Round & square fluted aluminum columns provide impressive Roman styling with durable, maintenance free finishes. Available in four colors, these load bearing columns are light weight and easy to install.

FIBERGLASS COLUMNS

Pro-Cast fiberglass columns, centrifugally cast from fiberglass-reinforced polymers, producing a beautiful, tapered column, conforming to the Tuscan order of architecture. Easy to install and come with a limited lifetime warranty.

ALUMINUM WRAP AROUNDS

Available in all of our column sizes. Supplied with aluminum split caps & bases. Installs in just minutes.





www.hbgcolumns.com

PermaCast® Fiberglass

Load Bearing Columns

Round can be ordered fluted or plain, with or without the classic tapering of the upper two-thirds of the column.

Square are available in a variety of styles, including plain, fluted, applied or recessed panel and craftsman style.

PermaLite® columns are weather & insect proof and require very little maintenance. This **cost effective** line of columns comes ready for paint and carries the HB&G lifetime warranty.

PermaWrap® Column Wraps

Made from Cellular PVC

Available in all sizes and styles – square or Craftsman– plain, fluted, raised panel, and recessed panel.

CertainTeed H

www.gertallnteed.gom



Structural Porch Posts, Columns & Finishing Accessories

Featuring

- Pivoting mounting plate for easy installation
- Aluminum reinforced for rigidity and strength
- Load bearing
- Tie-down connection of porch post eliminates need for separate hurricane tie-down kit
- No overhead jacking required

Certa-Snap® Wrap

- Specially designed for existing wood posts
- 8-piece system 4 vinyl post sections plus 4 corner trim pieces
- Snap together for easy installation
- Available 4" x 4" or 6" x 6" in 10' lengths - can be field cut to any length

VERSATEX®

WWWWWW.VIOTESTEDX-GOTTO



VersaWrap

Now, instead of fitting together 4 or 2 individual pieces of cellular PVC in the field, you can wrap smarter, with **one-piece column wraps**.

Our unique design features a product cut with 3 pre-mitered grooves that fold around the structural wood post and lock together with friction fit joints. The joints are inter-locking with a unique design to allow for additional surface area when bonding.

No more field cutting to match the seams.



Easy to install - peel protective tape off the corners and walk away.



FOR BUYING LOCAL



(716) 876-5440

weatherpanel.com

ACCESSORIES



SHUTTERS • MOUNTS • VENTS

Shutters, mounts and vents with unique features that make them easier for contractors to install and homeowners to live with.



14 COLORS AVAILABLE

- Louvered Panel 12" Width
- Louvered Panel 14" Width
- Raised Panel 12"
- Board & Batten
- Three Board Open 12 3/8" Width
- Board & Batten

Four Board Closed 14 1/2" Width

Mounts



Patented internal snap lock system means mounts and vents install easily on traditional vinyl, insulated siding and fiber cement siding. Multiple snapping positions simplify installation on standard vinyl and insulated siding.

Vents

- Easy To Install: Fits easily with vinyl, insulated and fiber cement siding
- Very Colorful: Available in enough colors to match most any siding options
- Colorfully Durable: Color-through process makes long-time good looks the new standard
- Maintenance Free: Fading, peeling or chipping is not an option with this design



d-Vent / Exhaust Vent

Unique paddle wheel design prevents birds and rodents from entering vent while air is being exhausted

- SHUTTERS
- SHUTTER ACCESSORIES
- BLOCKS & UTILITY VENTS
- GABLE VENTS & MORE

LOUVER PANEL

with CATHEDRAL

or STRAIGHT

TOP

From the industry leader is selections and style.



SHUTTER TOPS Available in



with 1, 2 or 3

Configurations

Spaced or Joined **BOARD &**

BATTEN





weatherpanel.com

CHEM LINK
POLYMER INNOVATION

www.chemlink.com

www.osipro.com

CAULKS & SEALANTS

M-1[®] Universal Adhesive/Sealant

M-1 adheres to a wide range of construction materials including PVC, EPDM, most metals, wood, glass, masonry concrete, fiberglass and solvent-sensitive foams. It works in almost any situation requiring a sealant, yet it delivers nearly 400 psi shear strength and remains elastic after cure — up to 300% elongation, so it also performs as a structural adhesive.



QUAD® Advanced Formula Sealant

OSI® **QUAD**® featuring the *widest range of colors in the industry*. Henkel color specialists work with building product manufacturers to ensure a perfect color match. An unlimited variety of colors mean superior performance on every job.



AND AND

WINDOW, DOOR & SIDING

Cold weather construction sealant for sealing around exterior windows and doors, fiber-cement & vinyl siding, PVC trim, roofing and gutters. Bonds without a primer to most common substrates.

- All-Weather, Superior Performance
- Permanently Flexible with 3x Stretch
- 20°F 120°F Application
- Wet Surface Application
- UV- and Water-Resistant Will Not Yellow or Crack
- Resists Dust & Dirt Collection



HM270™ Silicone Sealant

Cures at room temperature, withstands temperature extremes, highly resistant to UV light.




QUAD® MAX

- 24 Hour Fast Cure
- Resists Bubbling
- No Shrinkages

5x Stretch & 50% Joint Movement

Professional Caulks & Sealants

For over 40 years, the Geocel brand of caulks and sealants have been giving pros an advantage with every job they finish. We offer solutions that meet your demands, from general all-purpose to job specific applications.



3300[®] Professional Grade Polyurethane Sealant

Adheres to Stone, Masonry, Ceramics, Wood, Steel, Kynar®, Aluminum, Asphalt and many other building materials.



RP400® Construction Plastic Wet-Dry Surface Roof Cement

Adheres to asphalt, modified bitumen, and other common building substrates. 10 fl. oz. cartridge, 1-gal., 3-gal. lever-lock pail, 5-gal. lever-lock pail



WINDOWS & DOORS

 Best-in-Business Window & Door Products from the top manufacturers in the country.
 Delivery options to accommodate your needs.

WINDOWS

Vinyl EcoShield by Kasson & Keller 41 **Fiberglass** Wood Metal

DOORS Bi-Fold and

Sliding WinDor 47 La Cantina 47 origin 47

Interior & Storm

Steve's Doors	48
Masonite	48
MMI Door	48
Trustile	48
ProVia	48
Larson	48

Hardware

Schlage, Kwikset, IDN, Von Duprin, Norton, Emtek

	48
Entry	
ThermaTru	49
ProVia	49
MMI	49
COMMERCIAL ENTRY DOORS	
Masonite, Trustile, Provia, plastpro	49

Millwork & Trim

Metrie Interior Trim	50
WDI Trim Kits	50

Now in Stock

PINE - POPLAR - MDF - PFJ MILLWORK

VERYL WERDOV



www.ecoshieldwindows.com

efficient and best value available.

Start with our 2200 SERIES

REPLACEMENT DH WINDOW

Star standards. It's one of the most functional, most

A Premium window with **Standard** Upgrades

The EcoShield 2200 is one of our most popular windows. Our ST glazing package meets the latest, most rigorous Energy

Ask about our Don't pay more

2-TIER PRICING for smaller sizes!

Then Build Your Own

Custom Window

Without Upgrading to a Higher Cost Model



FACTORY FOAM WRAPPED • 2017 Energy-Star Package (U-Value .28/SHGC .38) DP-35 Rated Composite Meeting Rails Constant Force Balancer

- Extruded Aluminum Screen Frame
- LIFETIME WARRANTY with GLASS BREAKAGE
- 1-WEEK LEAD TIME



FOAM-FILLED SASH & MAINFRAME LOCKING HALF-SCREEN **BEIGE COLOR OPTION** FLAT, PROFILE or SDL GRIDS and more



www.silmonton.com

NEW CONSTRUCTION ProFinish Contractor Series



An integral nailing fin for guicker installation

J-channel makes installation easy

Welded frame and Sash provide increased strength & easier handling

Featuring an integrated nailing fin for quicker installs. Virtually unlimited size and style options.

Reflections® 5500 Series

VINYL REPLACEMENT WINDOWS and Patio Doors.



Innovative Lap-Lok® meeting rail overlaps and interlocks the sash to create a tight seal that eliminates air and water infiltration

The Intercept® spacer system's unique Ushaped design keeps glass warmer for increased efficiency and comfort while flexing and contracting

Exclusive triple-stepped, sloped Simonton Sill® forces water away from the window more quickly than flat, conventional sills

Plus the very popular

5050 SERIES VINYL REPLACEMENT

Traditional, streamlined options in Double Hung, Picture, 2-lite Slider, 3-lite Slider and Geometric styles



www.feld-wen.com

Easy installation. From new or remodeled residential homes to light construction projects

Double-Hung and Single-Hung WOCD

- Automatically limits sash opening to less than 4 inches
- Manual override for full operation and for emergency escape and rescue
- Device automatically resets by closing the window



Weatherpa ((716)) 876-54 weatherpanel.com

Each Builders Vinyl window and patio door is backed by an industry-leading lifetime warranty that is transferable for 10 years.

VENYL WENDOWS



Replacement Windows 7700 Series and 5400 Series **New Construction Windows** 500 Series and 400 Series



- thermal performance.
 3/4" double-strength insulating glass unit
- Glass edges are positioned 1/2" into the sash to help maintain even temperatures
- Frames and sash are welded at mitered corners
- · Sloped sill to prevent water from pooling
- Multiple weather-seals at various points around each sash
- Sash features a closed-cell foam barrier seal at the sill to block water penetration.
- Lifetime Limited Warranty





www.atrium.com



SERIES 8300 VINYL REPLACEMENT WINDOWS

Series 8300 double hung windows feature tilt-in sashes for easy cleaning and maintenance and thermally fused frames and Low-E glass options offer optimal insulation against air, water and outside noise. These performance-tested windows feature a rigid vinyl construction with fusion-welded sashes and frames for strength and lasting durability.

SERIES 450 DOUBLE HUNG WINDOWS FOR NEW CONSTRUCTION

Our top of the line Series 450 combines meticulous craftsmanship with the strength and maintenance-free beauty of rigid vinyl construction to deliver exceptional value and lasting durability.



www.kolbecommercial.com



(716) 876-5440

weatherpanel.com

Teutonic Series Commercial Vinyl Windows

- Tilt Turn Window
- Fixed Windows
- Sliding Patio Doors
- Commercial Entrance Doors
- Tilt & Slide Door
- Out-swing Hinged Doors
- Heavy Extruded Vinyl Reinforced with Galvanized Steel Providing High Structural Strength
- Outstanding Energy Performance Ratings up to R5, with U-Values as low as 0.20 for a Tilt Turn Product
- Air Infiltration Ratings as low as 0.01 for Tilt Turn Products
- Condensation Resistance Factor as high as 66 for Window Products
- 20 Year Glass Warranty 10 year Component Warranty





FIBERGLASS WINDOWS



www.lnllneflberglass.com

INLINE FIBERGLASS is the world leader in the development of High-Performance, Energy Efficient Fiberglass Windows and the world's largest all fiberglass window manufacturer with the most comprehensive line of products.

Pioneers of the Fiberglass Pultrusion Process

- Fiberglass Pultrusions have a .09 Wall Thickness
- Fiberglass is 2 times stronger than steel and 3 times stronger than aluminum
- Exceeds Stringent Performance Ratings and allows for use in High Rise Structures
- PTAC Panels, Spandrel Glass, Louvers and Insulated Panels available
- Custom Colors Including Split Finishes
- Foam Inserted into the Fiberglass Pultuded Frames & Sash for better thermal performance
- Commercial Strip Window can be used for Storefront Applications
- 20 Year Glass Warranty







Single Hung

Casement

Awning

Tilt Turn

Bay/Bow

Hopper

Double Hung


Two Lite Slider

Three Lite Slider




www.kolbewfindows.com

- New Construction and Insert Replacement
- All Fiberglass
- Fiberglass Exterior/Wood Interior
- Double Hung
- Casement
- Awning
- Sliding Windows
- Direct Sets
- Radius
- Geometric
- Sliding Patio Doors
- Black Interiors
- Exterior Brickmould



windows are engineered with Glastra on the exterior and either wood or Glastra on the interior. Multi-chambered extrusions in an advanced ladder design add strength and promote energy efficiency.









WOOD WENDOWS



www.kolbewindows.com

Sterling Double Hung



- Extruded Aluminum Exterior
- Numerous Exterior Panning & Sill Nosings
- Monumental Sizing 72" X 144"
- State Historic / National Park
 Service Approvals
- High Performance Ratings
- High Performance Glass Options
- Many Grille/SDL Options
- 11 Interior Factory Pre-finished Stain Choices
- 9 Interior Factory Pre-finished Paint Options

All products shown feature:
Over 50 Standard Colors with a 30 Year Warranty

VistaLuxe Contemporary Series



- The Slimmest Frame to daylight dimensions on the market for wood clad windows
- Available in 2 different profiles; Flush and Accent
- Casement, Awning, Sliding Window, Bi-Fold Window, Corner and Direct Sets
- Large Expanses of Glass
- Available with a Factory Prefinished Black Painted Interior

Traditional Double Hung



- Extruded Aluminum
 Frame
- Rolled Formed Aluminum Sash
- High Performance Glass Options
- Interior Pre-finished Stain & Paint Options





www.feld-wen.com

Custom Wood Clad Windows & Patio Doors

Casement | Double Hung Tilt & Turn | Awning Sliding | Fixed Radius | Geometric

Entry and Patio Doors

- 9 Standard Interior Colors
- 41 Exterior Clad Colors
- Wood or Aluminum exterior trim

W-2500 Series

- Great style and budget friendly
- Long-lasting and energy efficient
- Ideal for new construction, remodeling or replacement

W-4500 Series

- Mid-range line with styles to accommodate any architectural style
- More wood, color, finish and glass options
- Built with thicker, more durable stiles and rails
- 21 exterior clad colors

Custom Series

- Extruded Aluminum Frame and Sash
- Impact resistant Glass comes standard with energy efficient LoE-3-366
- 3 Exterior Copper-Clad Finishes

EPICVUE™ Series

- Contemporary, sleek profiles, bold lines and uninterrupted expanses
- Extruded Aluminum-Clad Wood Sash
- Smooth surfaces with glass reaching as far to edge as possible





THE WOOD THAT DOES NOT ROT

Protects against Termites,
Wood Rot and Water
Saturation for as long as the
owner lives there



(716) 876-5440

WOOD WENDOWS

ALUMINUM-CLAD WOOD REPLACEMENT WINDOWS





www.trfmlinewindows.com



• 3 ¼" Stepped Jamb for Sash Pocket Insert Installation from the Interior

- Exterior has a .060 Extruded Aluminum Frame with a .024 Rolled Formed Aluminum Sash
 - Interior Wood Jamb Liner
 - Exterior Colors Available in a AAMA 2605 Finish
 - 48" Maximum Width x 84" Maximum Height
 - Sill has a 9 Degree Angle
- Optional Hardwood Interiors in Oak, Cherry and Mahogany
- Available in a Factory Prefinished White Painted Interior
- Available in Casements and Awnings in the Legends Series
 - 20 year glass and 10 year component warranty





The Eclipse2 features a combination tilt-lock system, where the tilt mechanism is activated by the lock and is concealed within the lock rail, eliminating the need for surface mount tilt release latches for a neat, clean appearance.







Prefinished Wood Interior, Vinyl Exterior

Featuring a full line of styles, trim, hardware and glass





- Interior glazing
- Extruded sloped sill
- · Wood lift at lock rail
- Neopor[®] insulation
- Dual weatherstripping

Aeris™ Double Hung

- Premium Oak, Cherry or Maple hardwood interior
- 3.25" frame depth
- Welded frame and sash construction
- Compound Tension™ balance system with color coordinated covers and jamb pocket



www.hurd.com



H3 Transcend Clad Wood Insert Replacement Windows

Patented fusion technology integrates 3 materials - extruded aluminum, vinyl and solid wood. This unique fusion results in improved energy efficiency & performance, noticeably enhanced aesthetics, an extreme seal and easier installation.





METAL WENDOWS



www.grahamwlndows.com



Known For Highly Accurate Historical Reproductions

SR6700 Steel Replication Window

Designed to replicate original steel windows used in many buildings. Available in **fixed, projected and casement configurations**. The innovative SR6700 Series window features a "floating vent", large openings and minimal sight lines.

CW-PG40 Performance Rating

- 1 1/8" nom. concave muntins & applied grids
- Overlap of vent to frame for historic replication

SR2200 Double & Single Hung Windows

Ideal for Historic Renovation projects that require State Historic or National Park Service requirements

- AW-PG45 to AW-PG100 Performance Rating
- Numerous option for Panning/Trim, Snap Trims and Radius Top and Arches
- Exterior beveled (putty) glazing leg on historical models





www.unitversalwindows.com

400 SERIES Double HungRated for Heavy Commercial **550 SERIES Double Hung**Rated for Architectural & Heavy

Commercial 800 SERIES Single Hung

Rated for Commercial

Universal's award-winning line of historic windows are designed to meet the stringent requirements for buildings listed on the National Park Service National Register of Historic Places.

700 SERIES Double Hung



- Fixed to vent sight-lines can be made even, or stepped to faithfully meet design goals
- Structural Rating of HC80
- Exterior Panning Systems
- Structural Mulls
- External, Internal and Interior Grids





www.wintechine.com

Commercial Aluminum Windows

S250 Aluminum Single Hung

- 2 1/2" thermally broken frame depth
- Sloped Sill eliminates need for a Weep System
 - Automatic Latching of bottom sash
 - LC-PG35 Performance Rating
- 9 standard colors and clear & dark bronze anodized

PTAC and Architectural glazed-in Louvers and Insulated Panels available



5800 Aluminum Double Hung



- 4 5/16" frame depth w/Thermal Bar Break
- Sloped Sill eliminates need for a Weep System
 - Class 5 Balances lift 70% of sash weight
- Self-latching locks on top sash at head of jamb
 - Automatic latching at bottom of sash
 - LC-PG55 Performance Rating



weatherpanel.com

Performance Products and Service

BI-Fold & Multi-Slide Doors & Windows



www.wfindorsystems.com

Affordable Hybrid Bi-Fold and Multi Slide Door Systems



Folding Door Features include

- Thermal broke aluminum frame
- Contemporary style vinyl sash
- Welded sash corners
- 52" x 9' max size

Multi Slide Door Features include

- 3 & 4 Panel Configurations
- Maximum Panel Size 5' x 8'
- Metal reinforced stiles
- Light commercial rating



Lacantina Doors

www.lacantinadoors.com



Custom made to your specifications. Unique hardware with the ability to **span any size opening**, multiple configurations and options to meet the demands of any project, a LaCantina folding and bifold door system is the perfect choice.



www.orlginbifolds.com

BIFOLD | MULTI-SLIDE | HINGED | FRENCH



The Origin Bi-fold Door has been engineered to such high standards that it is one of the select few doors of its kind to pass Florida's rigorous High Velocity Hurricane Zone (HVHZ) testing standards without sacrificing thermal performance.



www.kolbewindows.com

TerraSpan® Lift & Slide Doors





Available in pocket or stack styles

Ideal for many applications, from new residential projects to commercial buildings. Panels can pocket into a wall or stack together

- 2-1/4" thick panels; 4 5/8 stiles
- Exterior covered by a thick, extruded aluminum cladding, while the interior panels are treated, natural wood.



INTERIOR & STORM DOORS

INTERIOR DOORS

SOLID | HOLLOW | FLUSH | MOLDED | GLASS | BIFOLD









www.shusters.com www.stevesdoors.com





WWW.mamfdloor.gom

www.trustile.com



STORM DOORS



www.provia.com

Exclusive

Top & Bottom Retractable Screen System



www.larsondoors.com

Meet the next generation storm door with a Hidden Closer.

HARDWARE







www.schlage.com

moosteedhwdkwww

www.idn=inc.com













www.us.allegion.com

ASSA ABLOY

ASSA ABLOY

EMTEK®

www.moritondoorconfirols.com

www.emfelk.com



(716) 876 = 5440

weatherpanel.com

MISCELLANEOUS

- Window & Door Shims
 - Flashing Tape
 - Foam Insulation
 - · Wood Glue
- Truth Motorized Operators
 - Truth Pole Operators
 - T-Handles & Knobs

ENTRY DOORS

Fiberglass Entry Door Systems

Nothing beats fiberglass doors for value and performance.

Classic-Craft

Simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways.



Fiber-Classic

The warm look and feel of Oak & the rich look of Mahogany. The beauty of real wood to the home's exterior with all the benefits of fiberglass.



www.thermatru.com



Smooth-Star® A sleek, paintable package. Smooth-Star fiberglass doors are ready-topaint with crisp, clean contours that meet the needs of the homeowner.

EMBARQ[™] **FIBERGLASS**

Embarg doors available in Cherry, Mahogany, Oak and Knotty Alder Series. Featuring the Quad Glass System. Awarded Most Innovative Door from Window & Door Magazine.

SIGNET™ FIBERGLASS

Superior to traditional fiberglass doors with robust hardwood stiles and rails dovetailed at each corner.

10-YEAR FINISH WARRANTY Embarg and Signet Fiberglass



Fiberglass & Steel Entry Doors

Affordablility, durability and curb appeal. Our fiberglass doors have deep, distinctive panel detail and can be painted (Smooth or Woodgrain Series) or stained (Woodgrain Series).

We offer two series of steel entry doors, at two different price points. Both are galvanized to prevent rust and are preprimed for painting.



COMMERCIAL

ENTRY | FIRE RATED | HOLLOW METAL | HARDWARE



MASONITE.



Taller bottom rails & wider stiles for compatibility with commercial hardware



WWWWJPIOVIELGOM 20 ga **Steel Frame Doors**

www.plastprofing.com

Fully composite barrier encases & protects the door from moisture on all 6 sides



www.mmidoor.com

(716) 876-5440

MMI DOOR

weatherpanel.com



www.trustile.com **Fire Doors**

Up to 90 minute protection

MELLWORK

New...

At Weatherpanel we continually strive to help our builders by offering new products and services. For your convenience we now have a dedicated warehouse building to stock millwork ready for pick up and deliveries.

Available in PINE, POPLAR, MDF and PFJ

PROFILES ARE NOT SHOWN TO SCALE.

- O CASINGS
- O BASEBOARDS
- O GROWN MOLDINGS
- O FLAT STOCK
- O ACCESSORIES

CASINGS







COLONIAL 356 3/4 x 2 1/4



COLONIAL 445 5/8 x 3 1/4



11/16 x 3 1/2




553 3/4 x 3 1/2

BASEBOARDS



RANCH BASE 713 9/16 x 3 1/4



9/16 x 3 1/4



COLONIAL BASE 618 1/2 x 5 1/4



SPEED BASE 163 5/8 x 5 1/4



545 5/8 x 5

CROWNS



4-5/8 CROWN 3/4 x 4 5/8

5-1/4 CROWN 9/16 x 5 1/4

ACCESSORIES



3/4 QUARTER ROUND 3/4 x 3/4



11/16 QUARTER ROUND 11/16 x 11/16



SHOE MOLDING/ 126 1/2 x 3/4



COVE MOLDING 3/4 x 3/4



BASEMENT HAND RAIL 1 5/8 x 1 1/4

Other Services Available:

- Custom Trim
- Special Order
- Project Pricing and more

FLAT STOCK



Stock S4S (Surfaced 4 sides) Finished Boards available in Primed Finger-Jointed Pine, Poplar and Radiata Pine in 8', 10', 12' and 16' lengths

HARDWARE





www.metrie.com

INTERIOR TRIM

Wainscot • Baseboards • Crown & Brick Moldings





(716) 876-5440

weatherpanel.com



www.wdicustomwood.com

Trim Kits are custom manufactured with factory precision to fit any window or door opening. Kits are delivered fully-assembled & pre-finished; 100% ready for installation.

- Fully-Assembled & Pre-Finished Jamb & Casings
- Millwork Doors and Frames Moldings Fireplace Mantels and more

DECKING & RAILINGS

l de la companya de	PAGE		PAGE
KeyLink	_	AzekXpanse	-

GUTTERS

	PAGE
Weatherpanel Gutters	53
C & J Gutter guards	53

OUR SERVICES

	PAGE
Commercial Services	54
Deliveries	54

OUR FACILITIES

Ever-Growing to meet our Customer's Needs... Inside Back Page

DECKING & RAILINGS



www.keyllinkieneling.com



KeystoneBoxed Aluminum

The Perfect Cost Effective Aluminum Railing Solution

- Self-Centering Mounting Brackets
- Rattle-Free Vinyl Lined System
- Easy to Install Boxed Kits
- Limited Lifetime Warranty
- 6 Railing Color Options
- 36" and 42" High Options

Cable Rail Systems

This unique and proprietary system was developed and engineered for both looks and ease of installation. Stainless Steel Cable runs through posts



with minimal fittings for a sleek, modern look. No job-site drilling required. A durable and low maintenance system with a **Guaranteed to Last a Lifetime**.

CertainTeed H

WWW.aartalintaad.aom

Panorama Rails



Concealed, corrosion-resistant stainless steel hardware provides a seamless appearance.

Kingston Rails



High-quality aluminum rail mount brackets, secured by stainless steel fasteners.



www.azek.com

Cellular PVC Decking & Railings

Arbor Collection

A much desired look of tropical hardwoods.

Vintage Collection

Rustic texture, rich colors and superior durability.

Harvest Collection

Soft shades that complement the most popular siding colors.

Railings Available in 5 styles and 6 colors





moseroobivorsissipsemagrawww

Vinyl Rails

Premier Series

Made with a precision-engineered polymer that contains no wood fibers or components, making it the most



water-resistant core available.

Select Series

Vinyl reinforced with aluminum. Mix and match balusters to create a one-ofa-kind backyard experience.



Weatherpanel EST. 1948 INC

(716) 876-5440

weatherpanel.com

Performance Products and Service

On-Site Delivery, Pick-Up and Installation Service

8 POPULAR COLORS IN STOCK.

We're there when and where you need seamless gutters & matching down spouts, elbows, hangers and more...

In Stock and Ready to Roll.

WHITE GRECIAN GREEN

BLACK CLAY


ALMOND DARK BRONZE

ROYAL BROWN WICKER

Call for a quote on your next Copper Gutter job!




C&J Manufacturing is a family owned and operated company that specializes in the manufacturing of gutter protection products and many other gutter accessories.



 Prevents debris from clogging gutters and down spouts

- An easy to install low profile design for an attractive, clean look
- Deters water run-off that can damage a home's exterior and foundation
- Helps protect gutters from winter ice dams
- 5 standard colors: Clay, Wicker, White, Brown and Black. Additional colors available upon request.









WEATHERPANEL SERVICES





COMMERCIAL SERVICES

t Weatherpanel, we strive for great partnerships. When you are planning, bidding, submitting, ordering, shipping, installing and closing out your jobs, you have a team of knowledgeable and experienced professionals to assist you every step of the way.

We will work hard to understand your needs in every situation and guide you to various solutions that will work for you, your client, your time-line and your budget. Contact the commercial team today. You won't be disappointed.



Take-Offs

We can assist with...

- Cost estimates
- Materials List
- Detailed Reports
- Aerial Estimates

Walk-Throughs We accompany you on...

- Pre-bid Meetings
- Job-site Measures
- - Final Inspections

Tapered Design We can provide...

- Computer Layout Complete Parts List & Maps
- Job Start & Progress Meetings
 Experienced Advice in Value Engineering











Reliable delivery of building materials to your job-site, featuring our fleet of delivery equipment for ground drops or loading a roof.







CRANE SERVICE ROOF TOP CONVEYORS **ON-SITE FORKLIFTS FLATBEDS** TRACTOR TRAILERS **BOX TRUCKS PICKUP TRUCKS** MOBILE GUTTERS

You can be assured we will get the material to you on time and delivered in a safe manner.



OUR FACILITIES

















Main Offices & Showroom Chandler Street Buffalo, New York









(716) 876-5440 weatherpanel.com

Commercial Department / General Offices

At the eastern boundary of the Weatherpanel complex is our main warehouse which, in addition to sales offices and the commercial showroom, is where we inventory many supplies including gutters & siding.

Not Pictured: New!

Millwork Warehouse

285 CHANDLER STREET BUFFALO, NY 14207

RESIDENTIAL & COMMERCIAL BUILDING PRODUCTS



285 CHANDLER STREET BUFFALO, NY 14207 (716) **876-5440**





